Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	163	applet same (secure near3 (connection or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 10:35
S2	1	("6023708").PN.	USPAT; USOCR	OR	OFF	2004/06/18 12:10
S3	1	("6085192").PN.	USPAT; USOCR	OR	OFF	2004/06/17 16:30
S4	1	("6131116").PN.	USPAT; USOCR	OR	OFF	2004/06/17 16:30
S5	632	((authorized or authenticated) near5 (process or applet or application or code or program)) with (access near3 (resource or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 19:00
S6	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 12:53
S7	85	authorized with applet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 19:07
S8	9	(authorized with applet) same ((request\$3 or access\$3) near4 (resource or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 12:54
S9	642	applet with ((access\$3 or request\$3) near3 (resource or application or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:24
S10	439	applet near5 ((access\$3 or request\$3) near3 (resource or application or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 19:32
S11	88	(applet near5 ((access\$3 or request\$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 13:05
S12	18	"5847957".URPN.	USPAT	OR	ON	2005/02/03 13:07

					T	
S13	25	("5204947" "5239466" "5283861" "5315711" "5349675" "5479599" "5483631" "5497463" "5699494" "5715453" "5727135" "5727155" "5742759" "5761421" "5761656" "5778356" "5801689" "5801707" "5802530" "5805442" "5812826" "5845299" "5847957" "5949412" "5956036").PN.	USPAT	OR .	ON	2005/02/03 13:12
S14	21	"electronic badge" and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 13:12
S15	8155	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls.	USPAT	OR	ON	2004/06/19 14:02
S16	145	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229:ccls. and ((applet or activex or "active x") same (authenticat\$3 or authoriz\$5))	USPAT	OR	ON	2005/02/03 13:22
S17	21	713/185.ccls. and (applet or activex or "active x")	US-PGPUB; USPAT	OR	ON	2005/02/03 13:35
S18	65	713/185.ccls. and (access near2 (control or right or level)) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:54
S19	10	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:56
S20	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:57
S21	0	713/185.ccls. and (("smart card" or "ic card") with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:58
S22	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03:13:58
S23	4	713/185.ccls. and badge and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:58
S24	2	713/201-202.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:59

S25	5	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls. and ((applet or activex or "active x") with (credential or privilege or (access near2 level))) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/02/03 13:59
S26	1	("5815574"):PN.	USPAT; USOCR	OR	OFF	2004/06/19 13:24
S27	8155	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls.	USPAT	OR	ON	2004/06/19 14:02
S28	60	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls. and passport	USPAT	OR	ON	2005/02/03 14:01
S29	2	("5710817" "5835595").PN.	USPAT	OR	ON	2004/06/19 14:13
S30	5	"6005939".URPN.	USPAT	OR	ON	2005/02/03 14:09
S31	13	("5081678" "5452433" "5455953" "5463690" "5623546" "5671279" "5719942" "5724423" "5737414" "5737422" "5784463" "5835595" "5852666").PN.	USPAT	OR	ON	2005/02/03 14:10
S32	27	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz\$5 or authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:11
S33	1	("6587836").PN.	USPAT; USOCR	OR	OFF	2004/06/19 17:21
S34	9	riggins-mark-d.in.	US-PGPUB; USPAT	OR	ON	2005/02/03 14:13
S35	1	("6708221").PN.	USPAT; USOCR	OR	OFF	2004/06/25 14:38
S36	336	(certificate or credential or sso or (single adj sign\$1on)) near5 ((id or identi\$8) near3 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 14:15
S37	10	"6055637".URPN.	USPAT	OR	ON	2004/06/25 15:05
S38	4	("4471216" "5005200" "5534855" "5757920").PN.	USPAT	OR	ON	2005/02/03 15:04
S39	134	(certificate or token or passport or cookie) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:15

S40	5	(applet or "active x" or activex) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:23
S41	1	("6711681"):PN.	USPAT; USOCR	OR	OFF	2004/06/28 08:13
S42	7	("5710817" "5774551" "5848412" "6023762" "6035406" "6105132" "6304973").PN.	USPAT	OR	ON	2005/02/04 18:21
S43	552	(privilege or credential or "access right") near5 (chang\$3 or alter\$3 or adjust\$3)	USPAT	OR	ON	2004/06/28 08:15
S44	11	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3))	USPAT	OR	ON	2005/02/04 18:21
S45	1	("4135240").PN.	USPAT; USOCR	OR	OFF	2004/06/28 08:19
S46	23	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3 or augment\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:23
S47	27	(end\$3 or terminat\$3 or kill\$3 or destroy\$3 or remov\$3 or delet\$3) near4 (certificate or cookie or passport or credential or privilege or "access right") with (instruc\$3 or order\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 08:25
S48	41	(certificate or cookie or passport or credential or privilege or "access right" or applet) near3 (expir\$5 or invalid) with (destroy\$3 or discard\$3 or remov\$3 or delet\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:24
S49	37	(regist\$6 near4 (telephone or phone)) with (assign\$3 near3 (password or code or secret or passphrase or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:25
S50	53	(regist\$6 near4 (telephone or phone)) same ((assign\$3 or distribut\$3) near3 (password or code or secret or passphrase or (\$cryption adj key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:27
S51	16	(password near3 (assign\$3 or distribut\$3)) with \$phone same regist\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:29

S52	114	705/76.ccls.	USPAT	OR	ON	2004/06/28 08:45
S53	1940	((user or buyer or subscriber or customer) near4 (regist\$5 or enroll\$4 or subscri\$5)) same ((via or using or over) near5 \$phone) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 08:50
S54	98	(((user or buyer or subscriber or customer) near4 (regist\$5 or enroll\$4 or subscri\$5)) same ((via or using or over) near5 \$phone) and @ad<"19980401") and ((receiv\$3 or acquir\$3 or assign\$3 or distribut\$3) near3 (password or (\$cryption key)) same \$phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:32
S19 2	192	applet same (secure near3 (connection or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:36
S19 3	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:43
S19 4	9	(authorized with applet) same ((request\$3 or access\$3) near4 (resource or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:50
S19 5	88	(applet near5 ((access\$3 or request\$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:53
S19 6	21	"5847957".URPN.	USPAT	OR	ON	2005/02/03 13:07
S19 7	25	("5204947" "5239466" "5283861" "5315711" "5349675" "5479599" "5483631" "5497463" "5699494" "5715453" "5727135" "5727155" "5742759" "5761421" "5761656" "5778356" "5801689" "5801707" "5802530" "5805442" "5812826" "5845299" "5847957" "5949412" "5956036").PN.	USPAT	OR	ON	2005/02/03 13:12

S19 8	21	"electronic badge" and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:59
S19 9	155	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229:ccls. and ((applet or activex or "active x") same (authenticat\$3 or authoriz\$5))	USPAT	OR	ON	2005/06/13 11:12
S20 0	27	713/185.ccls. and (applet or activex or "active x")	US-PGPUB; USPAT	OR	ON	2005/06/13 11:15
S20 1	66	713/185.ccls. and (access near2 (control or right or level)) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:18
S20 2	11	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:19
S20 3	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:19
S20 4	0	713/185.ccls. and (("smart card" or "ic card") with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:19
S20 5	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:20
S20 6	4	713/185.ccls. and badge and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:20
S20 7	2	713/201-202.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:21
S20 8	6	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls. and ((applet or activex or "active x") with (credential or privilege or (access near2 level))) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:22
S20 9	74	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229:ccls. and passport	USPAT	OR	ON	2005/06/13 11:25
S21 0	8	"6005939".URPN.	USPAT	OR	ON	2005/02/03 14:09

S21 1	. 13	("5081678" "5452433" "5455953" "5463690" "5623546" "5671279" "5719942" "5724423" "5737414" "5737422" "5784463" "5835595" "5852666").PN.	USPAT	OR	ON	2005/02/03 14:10
S21 2	34	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz\$5 or authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 11:26
S21 3	11	riggins-mark-d.in.	US-PGPUB; USPAT	OR	ON	2005/06/13 11:40
S21 4	130	(certificate or credential or sso or (single adj sign\$1on)) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 11:40
S21 5	4	("4471216" "5005200" "5534855" "5757920").PN.	USPAT	OR	ON	2005/02/03 15:04
S21 6	156	(certificate or token or passport or cookie) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 11:56
S21 7	6	(applet or "active x" or activex) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:05
S21 8	7	("5710817" "5774551" "5848412" "6023762" "6035406" "6105132" "6304973").PN.	USPAT	OR	ON	2005/02/04 18:21
S21 9	13	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3))	USPAT	OR	ON	2005/06/13 12:08
S22 0	25	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3 or augment\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:27
S22 1	44	(certificate or cookie or passport or credential or privilege or "access right" or applet) near3 (expir\$5 or invalid) with (destroy\$3 or discard\$3 or remov\$3 or delet\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:31
S22 2	40	(regist\$6 near4 (telephone or phone)) with (assign\$3 near3 (password or code or secret or passphrase or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:32

S22 3	60	(regist\$6 near4 (telephone or phone)) same ((assign\$3 or distribut\$3) near3 (password or code or secret or passphrase or (\$cryption adj key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 18:27
S22 4	18	(password near3 (assign\$3 or distribut\$3)) with \$phone same regist\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:35
S22 5	98	(((user or buyer or subscriber or customer) near4 (regist\$5 or enroll\$4 or subscri\$5)) same ((via or using or over) near5 \$phone) and @ad<"19980401") and ((receiv\$3 or acquir\$3 or assign\$3 or distribut\$3) near3 (password or (\$cryption key)) same \$phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:38
S22 6	42	applet same (secure near3 (connection or access)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:16
S22 7	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:19
S22 8	0	(authorized with applet) same ((request\$3 or access\$3) near4 (resource or application)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:20
S22 9	89	(applet near5 ((access\$3 or request\$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:21
S23 0	0	"electronic badge" with password and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:57
S23 1	71	applet with password and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:59

S23 2	4698	713/153,155-157,164-167,182, 185,189,201-202;705/54;709/203, 217,219,227,229.ccls. and (@ad<"19980401" or @rlad<"19980401")	USPAT	OR	ON	2006/01/03 17:28
S23 3	72	S232 and ((applet or activex or "active x") same (authenticat\$3 or authoriz\$5))	USPAT	OR	ON	2006/01/03 17:30
S23 4	2	713/185.ccls. and (@ad<"19980401" or @rlad<"19980401") and (applet or activex or "active x")	US-PGPUB; USPAT	OR	ON	2006/01/03 18:02
S23 5	66	713/185.ccls. and (access near2 (control or right or level)) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:03
S23 6	11	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:03
S23 7	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:04
S23 8	0	713/185.ccls. and (("smart card" or "ic card") with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:19
S23 9	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:04
S24 0	4	713/185.ccls. and badge and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:20
524 1	2	713/201-202.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2005/06/13 11:21
S24 2	6	S232 and ((applet or activex or "active x") with (credential or privilege or (access near2 level)))	US-PGPUB; USPAT	OR	ON	2006/01/03 17:39
S24 3	41	S232 and passport	USPAT	OR	ON	2006/01/03 18:05
S24 4	7	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz\$5 or authenticat\$3) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:07
S24 6	11	riggins-mark-d.in.	US-PGPUB; USPAT	OR	ON	2006/01/03 18:08

S24 7	20	(certificate or credential or sso or (single adj sign\$10n)) near5 ((id or identi\$8) near3 password) and (@ad<"19980401" or @rlad<"19980401")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:08
S24 8	44	(certificate or token or passport or cookie) near5 ((id or identi\$8) near3 password) and (@ad<"19980401" or @rlad<"19980401")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:12
S24 9	6	(applet or "active x" or activex) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:05
S25 1	60	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3 or augment\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:28
S25 2	13	S251 and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:28
S25 3	27	(certificate or cookie or passport or credential or privilege or "access right" or applet) near3 (expir\$5 or invalid) with (destroy\$3 or discard\$3 or remov\$3 or delet\$4) and (@ad<"19980401" or @rlad<"19980401")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:31
S25 4	20	(password near3 (assign\$3 or distribut\$3)) with \$phone same regist\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:35
S25 6	98	(((user or buyer or subscriber or customer) near4 (regist\$5 or enroll\$4 or subscri\$5)) same ((via or using or over) near5 \$phone)) and ((receiv\$3 or acquir\$3 or assign\$3 or distribut\$3) near3 (password or (\$cryption key)) same \$phone) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:38
S25 7	1	("6400619").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 16:38

S25 8	54	applet same (secure near3 (connection or access)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:16
S25 9	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:19
S26 0	0	(authorized with applet) same ((request\$3 or access\$3) near4 (resource or application)) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:20
S26 1	91	(applet near5 ((access\$3 or request\$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:21
S26 2	0	"electronic badge" with password and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:57
S26 3	76	applet with password and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:59
S26 5	4960	713/153,155-157,164-167,182, 185, 189;726/2-12;705/54;709/203, 217,219,227,229.ccls. and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT	OR	ON	2006/01/03 17:29
S26 6	85	S265 and ((applet or activex or "active x") same (authenticat\$3 or authoriz\$5))	US-PGPUB; USPAT	OR	ON	2006/01/03 17:31
S26 7	6	S265 and ((applet or activex or "active x") with (credential or privilege or (access near2 level)))	US-PGPUB; USPAT	OR	ON	2006/01/03 17:39
S26 8	2	713/185.ccls. and (@ad<"19980401" or @rlad<"19980401") and (applet or activex or "active x")	US-PGPUB; USPAT	OR	ON	2006/01/03 18:02
S26 9	66	713/185.ccls. and (access near2 (control or right or level)) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:03

S27 0	11	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:03
S27 1	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:04
S27 2	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT	OR	ON	2006/01/03 18:04
S27 3	47	S265 and passport	US-PGPUB; USPAT	OR	ON	2006/01/03 18:06
S27 4	7	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz\$5 or authenticat\$3) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:07
S27 5	11	riggins-mark-d.in.	US-PGPUB; USPAT	OR	ON	2006/01/03 18:08
S27 7	28	(certificate or credential or sso or (single adj sign\$1on)) near5 ((id or identi\$8) near3 password) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:09
S27 8	68	(certificate or token or passport or cookie) near5 ((id or identi\$8) near3 password) and (@ad<"19980401" or @rlad<"19980401")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 18:12